



# Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583

6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



## QUOTATION # SEGexUN1a

DATE: 7/20/2016		Cust PO _____		
ATTN: Surplus Gages Available		"Let the Gageguys get your gage!"		
TO: For Info Contact: Gage Crib Worldwide Inc				
		Sales Rep		
		TERMS:	Credit Card	
QTY	U/M	DESCRIPTION	\$ per U/M	Total
2	set	#0 (0.0600")-80 UNF External Lead Angle Analysis Segment; Maximum Pitch Diameter: 0.0519"; Right Hand Thread; L0 (1/4") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage 0-B Bench Mount Fixed or 0-B Bench Mount Adjustable Series Frames	357.00	714.00
2	set	#1 (0.0730")-72 UNF External Lead Angle Analysis Segment; Maximum Pitch Diameter: 0.0640"; Right Hand Thread; L0 (1/4") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage 0-B Bench Mount Fixed or 0-B Bench Mount Adjustable Series Frames	357.00	714.00
2	set	#1 (0.0730")-64 UNC External Lead Angle Analysis Segment; Maximum Pitch Diameter: 0.0629"; Right Hand Thread; L0 (1/4") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage 0-B Bench Mount Fixed or 0-B Bench Mount Adjustable Series Frames	357.00	714.00
2	set	#2 (0.0860")-56 UNC External Lead Angle Analysis Segment; Maximum Pitch Diameter: 0.0744"; Right Hand Thread; L0 (1/4") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage 0-B Bench Mount Fixed or 0-B Bench Mount Adjustable Series Frames	357.00	714.00



# Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583

6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



## QUOTATION # SEGexUN1a

DATE: 7/20/2016 ATTN: Surplus Gages Available TO: For Info Contact: Gage Crib Worldwide Inc	Cust PO _____	
	"Let the Gageguys get your gage!"	
	Sales Rep	
TERMS:	Credit Card	

QTY	U/M	DESCRIPTION	\$ per U/M	Total
2	set	#2 (0.0860")-64 UNF External Lead Angle Analysis Segment; Maximum Pitch Diameter: 0.0759"; Right Hand Thread; L0 (1/4") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage 0-B Bench Mount Fixed or 0-B Bench Mount Adjustable Series Frames	357.00	714.00
2	set	#3 (0.0990")-48 UNC External Lead Angle Analysis Segment; Maximum Pitch Diameter: 0.0855"; Right Hand Thread; L0 (1/4") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage 0-B Bench Mount Fixed or 0-B Bench Mount Adjustable Series Frames	357.00	714.00
2	set	#3 (0.0990")-56 UNF External Lead Angle Analysis Segment; Maximum Pitch Diameter: 0.0874"; Right Hand Thread; L0 (1/4") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage 0-B Bench Mount Fixed or 0-B Bench Mount Adjustable Series Frames	357.00	714.00
2	set	#4 (0.1120")-40 UNC External Lead Angle Analysis Segment; Maximum Pitch Diameter: 0.0958"; Right Hand Thread; L0 (1/4") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage 0-B Bench Mount Fixed or 0-B Bench Mount Adjustable Series Frames	323.00	646.00



# Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583

6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



## QUOTATION # SEGexUN1a

DATE: 7/20/2016 ATTN: Surplus Gages Available TO: For Info Contact: Gage Crib Worldwide Inc	Cust PO _____	
	"Let the Gageguys get your gage!"	
	Sales Rep	
TERMS:	Credit Card	

QTY	U/M	DESCRIPTION	\$ per U/M	Total
2	set	#4 (0.1120")-48 UNF External Lead Angle Analysis Segment; Maximum Pitch Diameter: 0.0985"; Right Hand Thread; L0 (1/4") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage 0-B Bench Mount Fixed or 0-B Bench Mount Adjustable Series Frames	323.00	646.00
1	set	1/8" (0.1250")-40 UNC External Lead Angle Analysis Segment; Maximum Pitch Diameter: 0.1088"; Right Hand Thread; L0 (1/4") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage 0-B Bench Mount Fixed or 0-B Bench Mount Adjustable Series Frames	323.00	323.00
1	set	1/8" (0.1250")-44 UNF External Lead Angle Analysis Segment; Maximum Pitch Diameter: 0.1102"; Right Hand Thread; L0 (1/4") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage 0-B Bench Mount Fixed or 0-B Bench Mount Adjustable Series Frames	323.00	323.00
1	set	#5 (0.1260")-40 UNC External Lead Angle Analysis Segment; Maximum Pitch Diameter: 0.1088"; Right Hand Thread; L0 (1/4") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage 0-B Bench Mount Fixed or 0-B Bench Mount Adjustable Series Frames	323.00	323.00



# Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583

6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



## QUOTATION # SEGexUN1a

DATE: 7/20/2016		Cust PO _____		
ATTN: Surplus Gages Available		"Let the Gageguys get your gage!"		
TO: For Info Contact: Gage Crib Worldwide Inc				
		Sales Rep		
		TERMS:	Credit Card	
QTY	U/M	DESCRIPTION	\$ per U/M	Total
1	set	#5 (0.1260")-44 UNF External Lead Angle Analysis Segment; Maximum Pitch Diameter: 0.1102"; Right Hand Thread; L0 (1/4") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage 0-B Bench Mount Fixed or 0-B Bench Mount Adjustable Series Frames	323.00	323.00
2	set	#6 (0.1380")-32 UNC External Lead Angle Analysis Segment; Maximum Pitch Diameter: 0.1772"; Right Hand Thread; L0 (1/4") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage 0-B Bench Mount Fixed or 0-B Bench Mount Adjustable Series Frames	323.00	646.00
2	set	#6 (0.1380")-40 UNF External Lead Angle Analysis Segment; Maximum Pitch Diameter: 0.1218"; Right Hand Thread; L0 (1/4") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage 0-B Bench Mount Fixed or 0-B Bench Mount Adjustable Series Frames	323.00	646.00
2	set	#8 (0.1640")-32 UNC External Lead Angle Analysis Segment; Maximum Pitch Diameter: 0.1437"; Right Hand Thread; L0 (1/4") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage 0-B Bench Mount Fixed or 0-B Bench Mount Adjustable Series Frames	323.00	646.00



# Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583

6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



## QUOTATION # SEGexUN1a

DATE: 7/20/2016 ATTN: Surplus Gages Available TO: For Info Contact: Gage Crib Worldwide Inc	Cust PO _____	
	"Let the Gageguys get your gage!"	
	Sales Rep	
	TERMS:	Credit Card

QTY	U/M	DESCRIPTION	\$ per U/M	Total
2	set	#8 (0.1640")-36 UNC External Lead Angle Analysis Segment; Maximum Pitch Diameter: 0.1460"; Right Hand Thread; L0 (1/4") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage 0-B Bench Mount Fixed or 0-B Bench Mount Adjustable Series Frames	323.00	646.00
1	set	3/16"-80 UNS External Lead Angle Analysis Segment; Maximum Pitch Diameter: 0.1794"; Right Hand Thread; L0 (1/4") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage 0-B Bench Mount Fixed or 0-B Bench Mount Adjustable Series Frames	323.00	323.00
2	set	#10 (0.1900")-24 UNC External Lead Angle Analysis Segment; Maximum Pitch Diameter: 0.1629"; Right Hand Thread; L0 (1/4") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage 0-B Bench Mount Fixed or 0-B Bench Mount Adjustable Series Frames	278.00	556.00
2	set	#10 (0.1900")-32 UNF External Lead Angle Analysis Segment; Maximum Pitch Diameter: 0.1697"; Right Hand Thread; L0 (1/4") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage 0-B Bench Mount Fixed or 0-B Bench Mount Adjustable Series Frames	278.00	556.00



# Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583

6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



## QUOTATION # SEGexUN1a

DATE: 7/20/2016 ATTN: Surplus Gages Available TO: For Info Contact: Gage Crib Worldwide Inc	Cust PO _____	
	"Let the Gageguys get your gage!"	
	Sales Rep	
TERMS:	Credit Card	

QTY	U/M	DESCRIPTION	\$ per U/M	Total
2	set	#12 (0.2160")-24 UNC External Lead Angle Analysis Segment; Maximum Pitch Diameter: 0.1889"; Right Hand Thread; L0 (1/4") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage 0-B Bench Mount Fixed or 0-B Bench Mount Adjustable Series Frames	278.00	556.00
1	set	1/4"-20 UNC External Lead Angle Analysis Segment; Maximum Pitch Diameter: 0.2175"; Right Hand Thread; L1 (7/16") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	278.00	278.00
2	set	1/4"-28 UNF External Lead Angle Analysis Segment; Maximum Pitch Diameter: 0.2268"; Right Hand Thread; L1 (7/16") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	278.00	556.00
2	set	5/16"-18 UNC External Lead Angle Analysis Segment; Maximum Pitch Diameter: 0.2764"; Right Hand Thread; L1 (7/16") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	278.00	556.00



# Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583

6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



## QUOTATION # SEGexUN1a

<p>DATE: 7/20/2016</p> <p>ATTN: Surplus Gages Available</p> <p>TO: For Info Contact:</p> <p style="padding-left: 40px;">Gage Crib Worldwide Inc</p>	<p>Cust PO _____</p> <p style="text-align: center;">"Let the Gageguys get your gage!"</p>				
	<table border="1" style="width: 100%;"> <tr> <td style="width: 30%;">Sales Rep</td> <td></td> </tr> <tr> <td>TERMS:</td> <td>Credit Card</td> </tr> </table>	Sales Rep		TERMS:	Credit Card
Sales Rep					
TERMS:	Credit Card				

QTY	U/M	DESCRIPTION	\$ per U/M	Total
2	set	5/16"-24 UNF External Lead Angle Analysis Segment; Maximum Pitch Diameter: 0.2854"; Right Hand Thread; L0 (1/4") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage 0-B Bench Mount Fixed or 0-B Bench Mount Adjustable Series Frames	278.00	556.00
2	set	3/8"-16 UNC External Lead Angle Analysis Segment; Maximum Pitch Diameter: 0.3344"; Right Hand Thread; L1 (7/16") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	278.00	556.00
2	set	3/8"-24 UNF External Lead Angle Analysis Segment; Maximum Pitch Diameter: 0.3479"; Right Hand Thread; L1 (7/16") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	278.00	556.00
2	set	7/16"-14 UNC External Lead Angle Analysis Segment; Maximum Pitch Diameter: 0.3911"; Right Hand Thread; L1 (7/16") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	278.00	556.00




# Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583

6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



## QUOTATION # SEGexUN1a

DATE: 7/20/2016 ATTN: Surplus Gages Available TO: For Info Contact: Gage Crib Worldwide Inc	Cust PO _____	
	"Let the Gageguys get your gage!"	
	Sales Rep	
	TERMS:	Credit Card

QTY	U/M	DESCRIPTION	\$ per U/M	Total
2	set	7/16"-20 UNF External Lead Angle Analysis Segment; Maximum Pitch Diameter: 0.4050"; Right Hand Thread; L1 (7/16") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	278.00	556.00
1	set	7/16"-27 UNS External Lead Angle Analysis Segment; Maximum Pitch Diameter: 0.4134"; Right Hand Thread; L1 (7/16") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	278.00	278.00
2	set	1/2"-13 UNC External Lead Angle Analysis Segment; Maximum Pitch Diameter: 0.4500"; Right Hand Thread; L0 (1/4") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage 0-B Bench Mount Fixed or 0-B Bench Mount Adjustable Series Frames	278.00	556.00
2	set	1/2"-20 UNF External Lead Angle Analysis Segment; Maximum Pitch Diameter: 0.4675"; Right Hand Thread; L1 (7/16") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	278.00	556.00





# Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583

6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



## QUOTATION # SEGexUN1a

DATE: 7/20/2016 ATTN: Surplus Gages Available TO: For Info Contact: Gage Crib Worldwide Inc	Cust PO _____ "Let the Gageguys get your gage!"	
	Sales Rep	
	TERMS:	Credit Card

QTY	U/M	DESCRIPTION	\$ per U/M	Total
2	set	9/16"-12 UNC External Lead Angle Analysis Segment; Maximum Pitch Diameter: 0.5084"; Right Hand Thread; L2 (9/16") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	278.00	556.00
2	set	9/16"-18 UNF External Lead Angle Analysis Segment; Maximum Pitch Diameter: 0.5264"; Right Hand Thread; L2 (9/16") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	297.00	594.00
2	set	5/8"-11 UNC External Lead Angle Analysis Segment; Maximum Pitch Diameter: 0.5660"; Right Hand Thread; L2 (9/16") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	297.00	594.00
2	set	5/8"-18 UNF External Lead Angle Analysis Segment; Maximum Pitch Diameter: 0.5889"; Right Hand Thread; L2 (9/16") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	297.00	594.00



# Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583

6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



## QUOTATION # SEGexUN1a

DATE: 7/20/2016 ATTN: Surplus Gages Available TO: For Info Contact: Gage Crib Worldwide Inc	Cust PO _____	
	"Let the Gageguys get your gage!"	
	Sales Rep	
TERMS:	Credit Card	

QTY	U/M	DESCRIPTION	\$ per U/M	Total
2	set	3/4"-10 UNC External Lead Angle Analysis Segment; Maximum Pitch Diameter: 0.6850"; Right Hand Thread; L3 (11/16") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	297.00	594.00
2	set	3/4"-16 UNF External Lead Angle Analysis Segment; Maximum Pitch Diameter: 0.7094"; Right Hand Thread; L2 (9/16") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	297.00	594.00
2	set	7/8"-9 UNC External Lead Angle Analysis Segment; Maximum Pitch Diameter: 0.8028"; Right Hand Thread; L3 (11/16") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	368.00	736.00
2	set	7/8"-14 UNF External Lead Angle Analysis Segment; Maximum Pitch Diameter: 0.8286"; Right Hand Thread; L3 (11/16") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	368.00	736.00



# Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583

6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



## QUOTATION # SEGexUN1a

<p>DATE: 7/20/2016</p> <p>ATTN: Surplus Gages Available</p> <p>TO: For Info Contact:</p> <p style="padding-left: 40px;">Gage Crib Worldwide Inc</p>	<p>Cust PO _____</p> <p style="text-align: center;">"Let the Gageguys get your gage!"</p>				
	<table border="1" style="width: 100%;"> <tr> <td style="width: 30%;">Sales Rep</td> <td></td> </tr> <tr> <td>TERMS:</td> <td>Credit Card</td> </tr> </table>	Sales Rep		TERMS:	Credit Card
Sales Rep					
TERMS:	Credit Card				

QTY	U/M	DESCRIPTION	\$ per U/M	Total
2	set	7/8"-32 UNS External Lead Angle Analysis Segment; Maximum Pitch Diameter: 0.8547"; Right Hand Thread; L3 (11/16") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	368.00	736.00
3	set	7/8"-32 UNS External Lead Angle Analysis Segment; Maximum Pitch Diameter: 0.8547/8"-32 UNS External Lead Angle Analysis Segment; Maximum Pitch Diameter: 0.854use with Johnson Gage B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	368.00	1,104.00
1	set	1"-8 UNC External Lead Angle Analysis Segment; Maximum Pitch Diameter: 0.9188"; Right Hand Thread; L3 (11/16") Mount; Set=2 Segments (Surplus) For use with Johnson B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	368.00	368.00
2	set	1"-12 UNF External Lead Angle Analysis Segment; Maximum Pitch Diameter: 0.9459"; Right Hand Thread; L3 (11/16") Mount; Set=2 Segments (Surplus) For use with Johnson B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	368.00	736.00



# Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583

6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



## QUOTATION # SEGexUN1a

DATE: 7/20/2016		Cust PO _____		
ATTN: Surplus Gages Available		"Let the Gageguys get your gage!"		
TO: For Info Contact: Gage Crib Worldwide Inc				
		Sales Rep		
		TERMS:	Credit Card	
QTY	U/M	DESCRIPTION	\$ per U/M	Total
2	set	1"-20 UNF External Lead Angle Analysis Segment; Maximum Pitch Diameter: 0.9675"; Right Hand Thread; L3 (11/16") Mount; Set=2 Segments (Surplus) For use with Johnson B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	368.00	736.00
1	set	1"-20 UNEF External Lead Angle Analysis Segment; Maximum Pitch Diameter: 0.9675"; Right Hand Thread; L3 (11/16") Mount; Set=2 Segments (Surplus) For use with Johnson B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	368.00	368.00
1	set	1-3/8"-18 UNEF External Lead Angle Analysis Segment; Maximum Pitch Diameter: 1.3389"; Right Hand Thread; L3 (11/16") Mount; Set=2 Segments (Surplus) For use with Johnson B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	428.00	428.00
2	set	1-3/8"-18 UNS External Lead Angle Analysis Segment; Maximum Pitch Diameter: 1.3389"; Right Hand Thread; L3 (11/16") Mount; Set=2 Segments (Surplus) For use with Johnson B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	428.00	856.00



# Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583

6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



## QUOTATION # SEGexUN1a

DATE: 7/20/2016 ATTN: Surplus Gages Available TO: For Info Contact: Gage Crib Worldwide Inc	Cust PO _____	
	"Let the Gageguys get your gage!"	
	Sales Rep	
TERMS:	Credit Card	

QTY	U/M	DESCRIPTION	\$ per U/M	Total
2	set	1.563"-18 UNS External Lead Angle Analysis Segment; Maximum Pitch Diameter: 1.5269"; Right Hand Thread; L3 (11/16") Mount; Set=2 Segments (Surplus) For use with Johnson B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	428.00	856.00
2	set	1.7670"-18 UNS External Lead Angle Analysis Segment; Maximum Pitch Diameter: 1.7309"; Right Hand Thread; L3 (11/16") Mount; Set=2 Segments (Surplus) For use with Johnson B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	649.00	1,298.00
2	set	1.7670"-18 UNS LH External Lead Angle Analysis Segment; Maximum Pitch Diameter: 1.7309"; Left Hand Thread; L3 (11/16") Mount; Set=2 Segments (Surplus) For use with Johnson B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	649.00	1,298.00