



# Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583  
 6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



## QUOTATION # SEGexUNJla

DATE: 7/31/2018		Cust PO _____		
ATTN: Surplus Gages Available		"Let the Gageguys get your gage!"		
TO: For Info Contact: Gage Crib Worldwide Inc				
		Sales Rep		
		TERMS:	Credit Card	
QTY	U/M	DESCRIPTION	\$ per U/M	Total
1	set	#4 (0.1120")-40 UNJC External Lead Angle Analysis Segment; Maximum Pitch Diameter: 0.0958"; Right Hand Thread; L1 (7/16") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	323.00	323.00
1	set	1/8" (0.1250")-40 UNJC External Lead Angle Analysis Segment; Maximum Pitch Diameter: 0.1088"; Right Hand Thread; L1 (7/16") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	323.00	323.00
1	set	#6 (0.1380")-32 UNJC External Lead Angle Analysis Segment; Maximum Pitch Diameter: 0.1772"; Right Hand Thread; L1 (7/16") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	323.00	323.00
1	set	#8 (0.1640")-32 UNJC External Lead Angle Analysis Segment; Maximum Pitch Diameter: 0.1437"; Right Hand Thread; L1 (7/16") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage 0-B Bench Mount Fixed or 0-B Bench Mount Adjustable Series Frames	323.00	323.00



# Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583

6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



## QUOTATION # SEGexUNJla

DATE: 7/31/2018		Cust PO _____		
ATTN: Surplus Gages Available		"Let the Gageguys get your gage!"		
TO: For Info Contact: Gage Crib Worldwide Inc				
		Sales Rep		
		TERMS:	Credit Card	
QTY	U/M	DESCRIPTION	\$ per U/M	Total
4	set	#10 (0.1900")-24 UNJC External Lead Angle Analysis Segment; Maximum Pitch Diameter: 0.1629"; Right Hand Thread; L1 (7/16") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	278.00	1,112.00
4	set	#10 (0.1900")-32 UNJF External Lead Angle Analysis Segment; Maximum Pitch Diameter: 0.1697"; Right Hand Thread; L1 (7/16") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage 0-B Bench Mount Fixed or 0-B Bench Mount Adjustable Series Frames	278.00	1,112.00
2	set	#12 (0.2160")-24 UNJC External Lead Angle Analysis Segment; Maximum Pitch Diameter: 0.1889"; Right Hand Thread; L1 (7/16") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	278.00	556.00
3	set	#12 (0.2160")-28 UNJF External Lead Angle Analysis Segment; Maximum Pitch Diameter: 0.1928"; Right Hand Thread; L1 (7/16") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	278.00	834.00



# Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583

6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



## QUOTATION # SEGexUNJla

DATE: 7/31/2018		Cust PO _____		
ATTN: Surplus Gages Available		"Let the Gageguys get your gage!"		
TO: For Info Contact:  Gage Crib Worldwide Inc				
		Sales Rep		
		TERMS:	Credit Card	
QTY	U/M	DESCRIPTION	\$ per U/M	Total
3	set	1/4"-28 UNJF External Lead Angle Analysis Segment; Maximum Pitch Diameter: 0.2268"; Right Hand Thread; L1 (7/16") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	278.00	834.00
4	set	5/16"-18 UNJC External Lead Angle Analysis Segment; Maximum Pitch Diameter: 0.2764"; Right Hand Thread; L1 (7/16") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	278.00	1,112.00
4	set	5/16"-24 UNJF External Lead Angle Analysis Segment; Maximum Pitch Diameter: 0.2854"; Right Hand Thread; L1 (7/16") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	278.00	1,112.00
4	set	3/8"-16 UNJC External Lead Angle Analysis Segment; Maximum Pitch Diameter: 0.3344"; Right Hand Thread; L1 (7/16") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	278.00	1,112.00



# Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583

6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



## QUOTATION # SEGexUNJla


DATE: 7/31/2018		Cust PO _____		
ATTN: Surplus Gages Available		"Let the Gageguys get your gage!"		
TO: For Info Contact:  Gage Crib Worldwide Inc				
		Sales Rep		
		TERMS:	Credit Card	
QTY	U/M	DESCRIPTION	\$ per U/M	Total
4	set	3/8"-24 UNJF External Lead Angle Analysis Segment; Maximum Pitch Diameter: 0.3479"; Right Hand Thread; L1 (7/16") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	278.00	1,112.00
4	set	7/16"-14 UNJC External Lead Angle Analysis Segment; Maximum Pitch Diameter: 0.3911"; Right Hand Thread; L1 (7/16") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	278.00	1,112.00
5	set	7/16"-20 UNJF External Lead Angle Analysis Segment; Maximum Pitch Diameter: 0.4050"; Right Hand Thread; L1 (7/16") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	278.00	1,390.00
5	set	1/2"-13 UNJC External Lead Angle Analysis Segment; Maximum Pitch Diameter: 0.4500"; Right Hand Thread; L1 (7/16") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	278.00	1,390.00



# Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583  
 6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



## QUOTATION # SEGexUNJla

DATE: 7/31/2018		Cust PO _____	
ATTN: Surplus Gages Available		"Let the Gageguys get your gage!"	
TO: For Info Contact: Gage Crib Worldwide Inc			
		Sales Rep	
		TERMS:	Credit Card

QTY	U/M	DESCRIPTION	\$ per U/M	Total
4	set	1/2"-20 UNJF External Lead Angle Analysis Segment; Maximum Pitch Diameter: 0.4675"; Right Hand Thread; L1 (7/16") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	278.00	1,112.00
5	set	9/16"-12 UNJC External Lead Angle Analysis Segment; Maximum Pitch Diameter: 0.5084"; Right Hand Thread; L2 (9/16") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	278.00	1,390.00
4	set	9/16"-18 UNJF External Lead Angle Analysis Segment; Maximum Pitch Diameter: 0.5264"; Right Hand Thread; L2 (9/16") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	297.00	1,188.00
5	set	5/8"-11 UNJC External Lead Angle Analysis Segment; Maximum Pitch Diameter: 0.5660"; Right Hand Thread; L2 (9/16") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	297.00	1,485.00




# Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583

6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



## QUOTATION # SEGexUNJla

DATE: 7/31/2018 ATTN: Surplus Gages Available TO: For Info Contact: Gage Crib Worldwide Inc	Cust PO _____	
	"Let the Gageguys get your gage!"	
	Sales Rep	
	TERMS:	Credit Card


QTY	U/M	DESCRIPTION	\$ per U/M	Total
5	set	5/8"-18 UNJF External Lead Angle Analysis Segment; Maximum Pitch Diameter: 0.5889"; Right Hand Thread; L2 (9/16") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	297.00	1,485.00
4	set	3/4"-10 UNJC External Lead Angle Analysis Segment; Maximum Pitch Diameter: 0.6850"; Right Hand Thread; L3 (11/16") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	297.00	1,188.00
4	set	3/4"-16 UNJF External Lead Angle Analysis Segment; Maximum Pitch Diameter: 0.7094"; Right Hand Thread; L2 (9/16") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	297.00	1,188.00
4	set	7/8"-9 UNJC External Lead Angle Analysis Segment; Maximum Pitch Diameter: 0.8028"; Right Hand Thread; L4 (15/16") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	368.00	1,472.00



# Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583  
 6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



## QUOTATION # SEGexUNJla

DATE: 7/31/2018		Cust PO _____	
ATTN: Surplus Gages Available		"Let the Gageguys get your gage!"	
TO: For Info Contact: Gage Crib Worldwide Inc			
		Sales Rep	
		TERMS:	Credit Card

QTY	U/M	DESCRIPTION	\$ per U/M	Total
4	set	7/8"-14 UNJF External Lead Angle Analysis Segment; Maximum Pitch Diameter: 0.8286"; Right Hand Thread; L3 (11/16") Length Segment; Set=2 Segments (Surplus) For use with Johnson Gage B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	368.00	1,472.00
3	set	1"-8 UNJC External Lead Angle Analysis Segment; Maximum Pitch Diameter: 0.9188"; Right Hand Thread; L4 (15/16") Mount; Set=2 Segments (Surplus) For use with Johnson B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	368.00	1,104.00
4	set	1"-12 UNJF External Lead Angle Analysis Segment; Maximum Pitch Diameter: 0.9459"; Right Hand Thread; L2 (9/16") Mount; Set=2 Segments (Surplus) For use with Johnson B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	368.00	1,472.00
4	set	1"-16 UNJ External Lead Angle Analysis Segment; Maximum Pitch Diameter: 0.9594"; Right Hand Thread; L3 (11/16") Mount; Set=2 Segments (Surplus) For use with Johnson B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	368.00	1,472.00




# Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583

6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



## QUOTATION # SEGexUNJla

DATE: 7/31/2018		Cust PO _____		
ATTN: Surplus Gages Available		"Let the Gageguys get your gage!"		
TO: For Info Contact: Gage Crib Worldwide Inc				
		Sales Rep		
		TERMS:	Credit Card	
QTY	U/M	DESCRIPTION	\$ per U/M	Total
1	set	1-1/8"-7 UNJC External Lead Angle Analysis Segment; Maximum Pitch Diameter: 1.1572"; Right Hand Thread; L3 (11/16") Mount; Set=2 Segments (Surplus) For use with Johnson B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	413.00	413.00
2	set	1-1/8"-7 UNJC External Lead Angle Analysis Segment; Maximum Pitch Diameter: 1.0322"; Right Hand Thread; L4 (15/16") Mount; Set=2 Segments (Surplus) For use with Johnson B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	413.00	826.00
2	set	1-1/8"-12 UNJF External Lead Angle Analysis Segment; Maximum Pitch Diameter: 1.0709"; Right Hand Thread; L3 (11/16") Mount; Set=2 Segments (Surplus) For use with Johnson B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	413.00	826.00
2	set	1-1/8"-16 UNJ External Lead Angle Analysis Segment; Maximum Pitch Diameter: 1.0844"; Right Hand Thread; L3 (11/16") Mount; Set=2 Segments (Surplus) For use with Johnson B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	413.00	826.00





# Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583

6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



## QUOTATION # SEGexUNJla

DATE: 7/31/2018		Cust PO _____		
ATTN: Surplus Gages Available		"Let the Gageguys get your gage!"		
TO: For Info Contact: Gage Crib Worldwide Inc				
		Sales Rep		
		TERMS:	Credit Card	
QTY	U/M	DESCRIPTION	\$ per U/M	Total
1	set	1-1/8"-28 UNJS LH External Lead Angle Analysis Segment; Maximum Pitch Diameter: 1.1018"; Left Hand Thread; L3 (11/16") Mount; Set=2 Segments (Surplus) For use with Johnson B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	413.00	413.00
1	set	1-1/8"-28 UNJS External Lead Angle Analysis Segment; Maximum Pitch Diameter: 1.1018"; Right Hand Thread; L3 (11/16") Mount; Set=2 Segments (Surplus) For use with Johnson B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	413.00	413.00
1	set	1-1/4"-7 UNJ External Lead Angle Analysis Segment; Maximum Pitch Diameter: 1.1572"; Right Hand Thread; For use with Johnson B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	413.00	413.00
2	set	1-1/4"-12 UNJF External Lead Angle Analysis Segment; Maximum Pitch Diameter: 1.1959"; Right Hand Thread; L3 (11/16") Mount; Set=2 Segments (Surplus) For use with Johnson B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	413.00	826.00
2	set	1-1/4"-16 UNJ External Lead Angle Analysis Segment; Maximum Pitch Diameter: 1.2094"; Right Hand Thread; L3 (11/16") Mount; Set=2 Segments (Surplus) For use with Johnson B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	413.00	826.00



# Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583

6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



## QUOTATION # SEGexUNJla

DATE: 7/31/2018 ATTN: Surplus Gages Available TO: For Info Contact: Gage Crib Worldwide Inc	Cust PO _____	
	"Let the Gageguys get your gage!"	
	Sales Rep	
TERMS:	Credit Card	

QTY	U/M	DESCRIPTION	\$ per U/M	Total
1	set	1.3120"-12 UNJS External Lead Angle Analysis Segment; Maximum Pitch Diameter: 1.2579"; Right Hand Thread; L3 (11/16") Mount; Set=2 Segments (Surplus) For use with Johnson B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	428.00	428.00
1	set	1-3/8"-6 UNJC External Lead Angle Analysis Segment; Maximum Pitch Diameter: 1.2667"; Right Hand Thread; L3 (11/16") Mount; Set=2 Segments (Surplus) For use with Johnson B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	428.00	428.00
1	set	1-3/8"-6 UNJC External Lead Angle Analysis Segment; Maximum Pitch Diameter: 1.2667"; Right Hand Thread; L4 (15/16") Mount; Set=2 Segments (Surplus) For use with Johnson B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	428.00	428.00
2	set	1-3/8"-12 UNJF External Lead Angle Analysis Segment; Maximum Pitch Diameter: 1.3209"; Right Hand Thread; L3 (11/16") Mount; Set=2 Segments (Surplus) For use with Johnson B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	428.00	856.00



# Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583

6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



## QUOTATION # SEGexUNJla

DATE: 7/31/2018		Cust PO _____		
ATTN: Surplus Gages Available		"Let the Gageguys get your gage!"		
TO: For Info Contact: Gage Crib Worldwide Inc				
		Sales Rep		
		TERMS:	Credit Card	
QTY	U/M	DESCRIPTION	\$ per U/M	Total
2	set	1-3/8"-16 UNJ External Lead Angle Analysis Segment; Maximum Pitch Diameter: 1.3344"; Right Hand Thread; L3 (11/16") Mount; Set=2 Segments (Surplus) For use with Johnson B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	428.00	856.00
1	set	1-1/2"-6 UNJC External Lead Angle Analysis Segment; Maximum Pitch Diameter: 1.3917"; Right Hand Thread; L3 (11/16") Mount; Set=2 Segments (Surplus) For use with Johnson B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	428.00	428.00
1	set	1-1/2"-6 UNJC External Lead Angle Analysis Segment; Maximum Pitch Diameter: 1.3917"; Right Hand Thread; L4 (15/16") Mount; Set=2 Segments (Surplus) For use with Johnson B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	428.00	428.00
2	set	1-1/2"-12 UNJF External Lead Angle Analysis Segment; Maximum Pitch Diameter: 1.4459"; Right Hand Thread; L3 (11/16") Mount; Set=2 Segments (Surplus) For use with Johnson B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	428.00	856.00



# Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583

6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



## QUOTATION # SEGexUNJla

DATE: 7/31/2018 ATTN: Surplus Gages Available TO: For Info Contact: Gage Crib Worldwide Inc	Cust PO _____	
	"Let the Gageguys get your gage!"	
	Sales Rep	
TERMS:	Credit Card	

QTY	U/M	DESCRIPTION	\$ per U/M	Total
2	set	1-1/2"-16 UNJ External Lead Angle Analysis Segment; Maximum Pitch Diameter: 1.4594"; Right Hand Thread; L3 (11/16") Mount; Set=2 Segments (Surplus) For use with Johnson B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	428.00	856.00
1	set	1-9/16"-18 UNJF External Lead Angle Analysis Segment; Maximum Pitch Diameter: 1.5264"; Right Hand Thread; L3 (11/16"); Set=2 Segments (Surplus) For use with Johnson B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	510.00	510.00
1	set	1-5/8"-8 UNJ External Lead Angle Analysis Segment; Maximum Pitch Diameter: 1.5438"; Right Hand Thread; L3 (11/16") Mount; Set=2 Segments (Surplus) For use with Johnson B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	510.00	510.00
1	set	1-5/8"-8 UNJ External Lead Angle Analysis Segment; Maximum Pitch Diameter: 1.5438"; Right Hand Thread; L4 (15/16") Mount; Set=2 Segments (Surplus) For use with Johnson B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	510.00	510.00




# Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583

6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



## QUOTATION # SEGexUNJla

DATE: 7/31/2018		Cust PO _____		
ATTN: Surplus Gages Available		"Let the Gageguys get your gage!"		
TO: For Info Contact: Gage Crib Worldwide Inc				
		Sales Rep		
		TERMS:	Credit Card	
QTY	U/M	DESCRIPTION	\$ per U/M	Total
1	set	1-5/8"-12 UNJ External Lead Angle Analysis Segment; Maximum Pitch Diameter: 1.5709"; Right Hand Thread; L3 (11/16") Mount; Set=2 Segments (Surplus) For use with Johnson B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	510.00	510.00
1	set	1-5/8"-12 UNJ External Lead Angle Analysis Segment; Maximum Pitch Diameter: 1.5709"; Right Hand Thread; L4 (15/16") Mount; Set=2 Segments (Surplus) For use with Johnson B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	510.00	510.00
1	set	1-5/8"-16 UNJ External Lead Angle Analysis Segment; Maximum Pitch Diameter: 1.5844"; Right Hand Thread; L3 (11/16") Mount; Set=2 Segments (Surplus) For use with Johnson B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	510.00	510.00
1	set	1-5/8"-16 UNJ External Lead Angle Analysis Segment; Maximum Pitch Diameter: 1.5844"; Right Hand Thread; L4 (15/16") Mount; Set=2 Segments (Surplus) For use with Johnson B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	510.00	510.00




# Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583

6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



## QUOTATION # SEGexUNJla

DATE: 7/31/2018 ATTN: Surplus Gages Available TO: For Info Contact: Gage Crib Worldwide Inc	Cust PO _____	
	"Let the Gageguys get your gage!"	
	Sales Rep	_____
TERMS:	Credit Card	

QTY	U/M	DESCRIPTION	\$ per U/M	Total
1	set	1-11/16"-18 UNJF External Lead Angle Analysis Segment; Maximum Pitch Diameter: 1.6514"; Right Hand Thread; L3 (11/16") Mount; Set=2 Segments (Surplus) For use with Johnson B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	510.00	510.00
1	set	1-3/4"-12 UNJ External Lead Angle Analysis Segment; Maximum Pitch Diameter: 1.6959"; Right Hand Thread; L3 (11/16") Mount; Set=2 Segments (Surplus) For use with Johnson B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	510.00	510.00
1	set	1-3/4"-12 UNJ External Lead Angle Analysis Segment; Maximum Pitch Diameter: 1.6959"; Right Hand Thread; L4 (15/16") Mount; Set=2 Segments (Surplus) For use with Johnson B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	510.00	510.00
3	set	1-3/4"-8 UNJ External Lead Angle Analysis Segment; Maximum Pitch Diameter: 1.6688"; Right Hand Thread; L4 (15/16") Mount; Set=2 Segments (Surplus) For use with Johnson B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	510.00	1,530.00




# Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583

6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



## QUOTATION # SEGexUNJla

DATE: 7/31/2018 ATTN: Surplus Gages Available TO: For Info Contact: Gage Crib Worldwide Inc	Cust PO _____	
	"Let the Gageguys get your gage!"	
	Sales Rep	
TERMS:	Credit Card	


QTY	U/M	DESCRIPTION	\$ per U/M	Total
1	set	1-3/4"-16 UNJ External Lead Angle Analysis Segment; Maximum Pitch Diameter: 1.7094"; Right Hand Thread; L3 (11/16") Mount; Set=2 Segments (Surplus) For use with Johnson B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	510.00	510.00
1	set	1-3/4"-16 UNJ External Lead Angle Analysis Segment; Maximum Pitch Diameter: 1.7094"; Right Hand Thread; L4 (15/16") Mount; Set=2 Segments (Surplus) For use with Johnson B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	510.00	510.00
1	set	1-7/8"-6 UNJ External Lead Angle Analysis Segment; Maximum Pitch Diameter: 1.7667"; Right Hand Thread; L4 (15/16") Mount; Set=2 Segments (Surplus) For use with Johnson B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	649.00	649.00
3	set	1-7/8"-8 UNJ External Lead Angle Analysis Segment; Maximum Pitch Diameter: 1.7938"; Right Hand Thread; L3 (11/16") Mount; Set=2 Segments (Surplus) For use with Johnson B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	649.00	1,947.00



# Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583  
 6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



## QUOTATION # SEGexUNJla

DATE: 7/31/2018		Cust PO _____		
ATTN: Surplus Gages Available		"Let the Gageguys get your gage!"		
TO: For Info Contact: Gage Crib Worldwide Inc				
		Sales Rep		
		TERMS:	Credit Card	
QTY	U/M	DESCRIPTION	\$ per U/M	Total
1	set	1-7/8"-8 UNJ External Lead Angle Analysis Segment; Maximum Pitch Diameter: 1.7938"; Right Hand Thread; L4 (15/16") Mount; Set=2 Segments (Surplus) For use with Johnson B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	649.00	649.00
2	set	1-7/8"-12 UNJ External Lead Angle Analysis Segment; Maximum Pitch Diameter: 1.8209"; Right Hand Thread; L3 (11/16") Mount; Set=2 Segments (Surplus) For use with Johnson B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	649.00	1,298.00
1	set	1-7/8"-12 UNJ External Lead Angle Analysis Segment; Maximum Pitch Diameter: 1.8209"; Right Hand Thread; L4 (15/16") Mount; Set=2 Segments (Surplus) For use with Johnson B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	649.00	649.00
2	set	1-7/8"-16 UNJ External Lead Angle Analysis Segment; Maximum Pitch Diameter: 1.8344"; Right Hand Thread; L3 (11/16") Mount; Set=2 Segments (Surplus) For use with Johnson B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	649.00	1,298.00





# Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583

6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



## QUOTATION # SEGexUNJla

DATE: 7/31/2018		Cust PO _____		
ATTN: Surplus Gages Available		"Let the Gageguys get your gage!"		
TO: For Info Contact: Gage Crib Worldwide Inc				
		Sales Rep		
		TERMS:	Credit Card	
QTY	U/M	DESCRIPTION	\$ per U/M	Total
2	set	1-7/8"-16 UNJ External Lead Angle Analysis Segment; Maximum Pitch Diameter: 1.8344"; Right Hand Thread; L4 (15/16") Mount; Set=2 Segments (Surplus) For use with Johnson B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	649.00	1,298.00
2	set	1.9760"-18 UNJS External Lead Angle Analysis Segment; Maximum Pitch Diameter: 1.9309"; Right Hand Thread; L3 (11/16") Mount; Set=2 Segments (Surplus) For use with Johnson B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	649.00	1,298.00
2	set	2"-4.5 UNJ External Lead Angle Analysis Segment; Maximum Pitch Diameter: 1.8857"; Right Hand Thread; L4 (15/16") Mount; Set=2 Segments (Surplus) For use with Johnson B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	649.00	1,298.00
2	set	2"-8 UNJ External Lead Angle Analysis Segment; Maximum Pitch Diameter: 1.9188"; Right Hand Thread; L4 (15/16") Mount; Set=2 Segments (Surplus) For use with Johnson B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	649.00	1,298.00



# Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583

6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



## QUOTATION # SEGexUNJla

DATE: 7/31/2018 ATTN: Surplus Gages Available TO: For Info Contact: Gage Crib Worldwide Inc	Cust PO _____	
	"Let the Gageguys get your gage!"	
	Sales Rep	
TERMS:	Credit Card	

QTY	U/M	DESCRIPTION	\$ per U/M	Total
2	set	2"-8 UNJ External Lead Angle Analysis Segment; Maximum Pitch Diameter: 1.9188"; Right Hand Thread; L3 (11/16") Mount; Set=2 Segments (Surplus) For use with Johnson B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	649.00	1,298.00
1	set	2"-8 UNJ External Lead Angle Analysis Segment; Maximum Pitch Diameter: 1.9188"; Right Hand Thread; L4 (15/16") Mount; Set=2 Segments (Surplus) For use with Johnson B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	649.00	649.00
3	set	2"-12 UNJ External Lead Angle Analysis Segment; Maximum Pitch Diameter: 1.9459"; Right Hand Thread; L3 (11/16") Mount; Set=2 Segments (Surplus) For use with Johnson B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	649.00	1,947.00
2	set	2"-16 UNJ External Lead Angle Analysis Segment; Maximum Pitch Diameter: 1.9594"; Right Hand Thread; L3 (11/16") Mount; Set=2 Segments (Surplus) For use with Johnson B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	649.00	1,298.00



# Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583

6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



## QUOTATION # SEGexUNJla

DATE: 7/31/2018		Cust PO _____	
ATTN: Surplus Gages Available		"Let the Gageguys get your gage!"	
TO: For Info Contact: Gage Crib Worldwide Inc			
		Sales Rep	
		TERMS:	Credit Card

QTY	U/M	DESCRIPTION	\$ per U/M	Total
1	set	2"-16 UNJ External Lead Angle Analysis Segment; Maximum Pitch Diameter: 1.9594"; Right Hand Thread; L4 (15/16") Mount; Set=2 Segments (Surplus) For use with Johnson B Series Frames; Starrett 1135/1136 or Allen Engineering 1135/1136 External Segment-style Frame	649.00	649.00