



Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583
 6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SEGINUNcal

DATE: 8/1/2018		Cust PO _____	
ATTN: Surplus Gages Available		"Let the Gageguys get your gage!"	
TO: For Info Contact:			
Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583		Sales Rep	
		TERMS:	Credit Card

QTY	U/M	DESCRIPTION	\$ per U/M	Total
1	set	#10-24 UNJC Internal Calibration Segment; Minimum Pitch Diameter: 0.1629"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	278.00	278.00
2	set	#10-32 UNJF Internal Calibration Segment; Minimum Pitch Diameter: 0.1697"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	278.00	556.00
1	set	#12-28 UNJF Internal Calibration Segment; Minimum Pitch Diameter: 0.1928"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	278.00	278.00
1	set	5/16"-18 UNJC Internal Calibration Segment; Minimum Pitch Diameter: 0.2764"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	278.00	278.00



Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583

6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SEGiUNcal

DATE: 8/1/2018		Cust PO _____		
ATTN: Surplus Gages Available		"Let the Gageguys get your gage!"		
TO: For Info Contact:				
Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583		Sales Rep		
		TERMS:	Credit Card	
QTY	U/M	DESCRIPTION	\$ per U/M	Total
1	ea	5/16"-24 UNJF Internal Calibration Segment; Minimum Pitch Diameter: 0.2854"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	278.00	278.00
1	set	3/8"-16 UNJC Internal Calibration Segment; Minimum Pitch Diameter: 0.3344"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	278.00	278.00
1	set	3/8"-24 UNJF Internal Calibration Segment; Minimum Pitch Diameter: 0.3479"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	278.00	278.00
1	set	7/16"-14 UNJC Internal Calibration Segment; Minimum Pitch Diameter: 0.3911"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	278.00	278.00



Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583

6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SEGiUNcal


DATE: 8/1/2018		Cust PO _____		
ATTN: Surplus Gages Available		"Let the Gageguys get your gage!"		
TO: For Info Contact:				
Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583		Sales Rep		
		TERMS:	Credit Card	
QTY	U/M	DESCRIPTION	\$ per U/M	Total
1	set	7/16"-20 UNJF Internal Calibration Segment; Minimum Pitch Diameter: 0.4050"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	278.00	278.00
1	set	1/2"-13 UNJC Internal Calibration Segment; Minimum Pitch Diameter: 0.4500"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	278.00	278.00
2	set	3/4"-10 UNJC Internal Calibration Segment; Minimum Pitch Diameter: 0.6850"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	297.00	594.00
1	set	3/4"-12 UNJ Internal Calibration Segment; Minimum Pitch Diameter: 0.6959"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	297.00	297.00



Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583
 6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SEGiUNcal

DATE: 8/1/2018		Cust PO _____		
ATTN: Surplus Gages Available		"Let the Gageguys get your gage!"		
TO: For Info Contact:				
Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583		Sales Rep		
		TERMS:	Credit Card	
QTY	U/M	DESCRIPTION	\$ per U/M	Total
2	set	3/4"-16 UNJF Internal Calibration Segment; Minimum Pitch Diameter: 0.7094"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	297.00	594.00
1	set	0.7810"-32 UNS LH Internal Calibration Segment; Minimum Pitch Diameter: 0.7607"; Left Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	418.00	418.00
1	set	7/8"-9 UNJC Internal Calibration Segment; Minimum Pitch Diameter: 0.8028"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	368.00	368.00
1	ea	7/8"-14 UNJF Internal Calibration Segment; Minimum Pitch Diameter: 0.8286"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	368.00	368.00



Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583
6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SEGiUNcal

DATE: 8/1/2018		Cust PO _____		
ATTN: Surplus Gages Available		"Let the Gageguys get your gage!"		
TO: For Info Contact:				
Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583		Sales Rep		
		TERMS:	Credit Card	
QTY	U/M	DESCRIPTION	\$ per U/M	Total
2	set	7/8"-20 UNEF Internal Calibration Segment; Minimum Pitch Diameter: 0.8425"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	368.00	736.00
1	set	7/8"-32 UNS LH Internal Calibration Segment; Minimum Pitch Diameter: 0.8547"; Left Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	368.00	368.00
1	set	1"-12 UNJF Internal Calibration Segment; Minimum Pitch Diameter: 0.9459"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	368.00	368.00
1	set	1"-16 UNJ Internal Calibration Segment; Minimum Pitch Diameter: 0.9594"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	368.00	368.00




Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583

6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SEGiUNcal

DATE: 8/1/2018		Cust PO _____		
ATTN: Surplus Gages Available		"Let the Gageguys get your gage!"		
TO: For Info Contact:				
Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583		Sales Rep		
		TERMS:	Credit Card	
QTY	U/M	DESCRIPTION	\$ per U/M	Total
1	set	1"-20 UNF Internal Calibration Segment; Minimum Pitch Diameter: 0.9675"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	368.00	368.00
2	set	1-1/8"-7 UNJC Internal Calibration Segment; Minimum Pitch Diameter: 1.0322"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	413.00	826.00
2	set	1-1/8"-12 UNJF Internal Calibration Segment; Minimum Pitch Diameter: 1.0709"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	413.00	826.00
2	set	1-1/8"-16 UNJ Internal Calibration Segment; Minimum Pitch Diameter: 1.0844"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	413.00	826.00



Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583

6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SEGiUNcal

DATE: 8/1/2018		Cust PO _____		
ATTN: Surplus Gages Available		"Let the Gageguys get your gage!"		
TO: For Info Contact:				
Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583		Sales Rep		
		TERMS:	Credit Card	
QTY	U/M	DESCRIPTION	\$ per U/M	Total
2	set	1-1/8"-28 UNJS Internal Calibration Segment; Minimum Pitch Diameter: 1.1018"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	413.00	826.00
2	set	1-1/8"-28 UNJS LH Internal Calibration Segment; Minimum Pitch Diameter: 1.1018"; Left Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	413.00	826.00
2	set	1.1730"-18 UNS Internal Calibration Segment; Minimum Pitch Diameter: 1.1369"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	413.00	826.00
2	set	1-1/4"-7 UNJC Internal Calibration Segment; Minimum Pitch Diameter: 1.1572"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	413.00	826.00



Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583
 6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SEGinUNcal

DATE: 8/1/2018		Cust PO _____		
ATTN: Surplus Gages Available		"Let the Gageguys get your gage!"		
TO: For Info Contact:				
Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583		Sales Rep		
		TERMS:	Credit Card	
QTY	U/M	DESCRIPTION	\$ per U/M	Total
2	set	1-1/4"-12 UNJF Internal Calibration Segment; Minimum Pitch Diameter: 1.1959"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	413.00	826.00
2	set	1-1/4"-16 UNJ Internal Calibration Segment; Minimum Pitch Diameter: 1.2094"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	413.00	826.00
2	set	1.3120"-12 UNJ Internal Calibration Segment; Minimum Pitch Diameter: 1.2579"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	428.00	856.00
2	set	1-5/16"-12 UNJS Internal Calibration Segment; Minimum Pitch Diameter: 1.2584"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	428.00	856.00
1	set	1-3/8"-6 UNJC Internal Calibration Segment; Minimum Pitch Diameter: 1.2667"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame		0.00



Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583

6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SEGiUNcal

DATE: 8/1/2018		Cust PO _____		
ATTN: Surplus Gages Available		"Let the Gageguys get your gage!"		
TO: For Info Contact:				
Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583		Sales Rep		
		TERMS:	Credit Card	
QTY	U/M	DESCRIPTION	\$ per U/M	Total
1	set	1-3/8"-6 UNJ Internal Calibration Segment; Minimum Pitch Diameter: 1.2667"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame		0.00
1	set	1-1/2"-16 UNJ Internal Calibration Segment; Minimum Pitch Diameter: 1.4594"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	428.00	428.00
1	set	1-9/16"-18 UNJF Internal Calibration Segment; Minimum Pitch Diameter: 1.5264"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	510.00	510.00
1	set	1.5630"-18 UNS Internal Calibration Segment; Minimum Pitch Diameter: 1.5269"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	510.00	510.00




Gage Crib Worldwide, Inc.

THREAD GAGES: New • Used • Calibration • Repair

Ph: 616.954.6581 • www.gagecrib.com • Fax: 616.954.6583

6701 Old 28th St. SE, Ste. B • Grand Rapids, MI 49546-6937



QUOTATION # SEGiUNcal

DATE: 8/1/2018		Cust PO _____		
ATTN: Surplus Gages Available		"Let the Gageguys get your gage!"		
TO: For Info Contact:				
Gage Crib Worldwide Inc (616) 954 6581 x 124 Fax (616) 954 6583		Sales Rep		
		TERMS:	Credit Card	
QTY	U/M	DESCRIPTION	\$ per U/M	Total
1	set	1-5/8"-8 UNJ Internal Calibration Segment; Minimum Pitch Diameter: 1.5438"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	510.00	510.00
1	set	1-5/8"-12 UNJ Internal Calibration Segment; Minimum Pitch Diameter: 1.5709"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	510.00	510.00
1	set	1-5/8"-16 UNJ Internal Calibration Segment; Minimum Pitch Diameter: 1.5844"; Right Hand Thread; Set=2 Segments (Surplus) For use with Johnson Gage GJ-5 Series Frames; Starrett 1140 or Allen Engineering 1140 Internal Segment-style Frame	510.00	510.00